

53. IWK

Internationales Wissenschaftliches Kolloquium
International Scientific Colloquium



Faculty of
Mechanical Engineering



PROSPECTS IN MECHANICAL ENGINEERING

8 - 12 September 2008

www.tu-ilmenau.de

th
TECHNISCHE UNIVERSITÄT
ILMENAU

Home / Index:
<http://www.db-thueringen.de/servlets/DocumentServlet?id=17534>

Published by Impressum

Publisher Herausgeber	Der Rektor der Technischen Universität Ilmenau Univ.-Prof. Dr. rer. nat. habil. Dr. h. c. Prof. h. c. Peter Scharff
Editor Redaktion	Referat Marketing und Studentische Angelegenheiten Andrea Schneider Fakultät für Maschinenbau Univ.-Prof. Dr.-Ing. habil. Peter Kurz, Univ.-Prof. Dr.-Ing. habil. Rainer Grünwald, Univ.-Prof. Dr.-Ing. habil. Prof. h. c. Dr. h. c. mult. Gerd Jäger, Dr.-Ing Beate Schlütter, Dipl.-Ing. Silke Stauche
Editorial Deadline Redaktionsschluss	17. August 2008
Publishing House Verlag	Verlag ISLE, Betriebsstätte des ISLE e.V. Werner-von-Siemens-Str. 16, 98693 Ilmenau

CD-ROM-Version:

Implementation Realisierung	Technische Universität Ilmenau Christian Weigel, Helge Drumm
Production Herstellung	CDA Datenträger Albrechts GmbH, 98529 Suhl/Albrechts

ISBN: 978-3-938843-40-6 (CD-ROM-Version)

Online-Version:

Implementation Realisierung	Universitätsbibliothek Ilmenau <u>ilmedia</u> Postfach 10 05 65 98684 Ilmenau
--------------------------------	--

© Technische Universität Ilmenau (Thür.) 2008

The content of the CD-ROM and online-documents are copyright protected by law.
Der Inhalt der CD-ROM und die Online-Dokumente sind urheberrechtlich geschützt.

Home / Index:

<http://www.db-thueringen.de/servlets/DocumentServlet?id=17534>

M. Weiß / M. Braunschweig

Storage of spring wire characteristics in a SQL - Database with ASP.NET – Webinterface

Abstract

The precise knowledge of the material behavior of spring wire is very important for the determination of spring dimensions and spring production.

Within the scope of a research project, extensive measurements for the determination of spring wire properties relevant for operation and production (modulus of elastic and shear modulus) were carried out. Besides calculated values, spring characteristics (stress- deformation curves) were stored.

The intention for the development of a database to store the measurement results is to provide the properties and characteristics (curves) accessibly over the internet for companies involved in the project.




Figure 1: Softwarecomponents required for the SQL-Database with Web-Interface

The SQL-Server runs on a Windows Server. The spring wire database and the user database for user administration are stored on the SQL-Server (Fig. 1).

The websites are developed with ASP.NET 2.0. For the client there are no special requirements and no special software has to be installed. The only requirement is a Web-Browser.

In the spring wire database the parameters of the wire and of the wire pretreatment are stored as well as the complete stress-deformation characteristics and the first derivation of these characteristics (gradient of modulus of elastic and gradient of shear modulus). Data are stored for torsional tests, tensile tests, and bending tests. The stored characteristics are made available to users over a Webinterface (Fig. 2). A new feature is the capability to download the complete measuring data as a text file over the internet.




Fig. 2: Characteristics for torsional tests

The result of the introduced work is a first spring wire database with special material properties and characteristics that is available over the internet. Further works arise from the requirements of the users to the actual use of the data.

References:

[1] Ermittlung von funktions- und fertigungsrelevanten Federdrahtkennwerten (E- und G-Modul), Abschlussbericht zum AiF-Projekt 14306BR, TU Ilmenau, 2007

Authors:

Univ.-Prof. Dr.-Ing. habil. Mathias Weiß
 Dr.-Ing. Marion Braunschweig
 TU Ilmenau, PF 10 05 65
 98684 Ilmenau
 Phone: +49 3677 69 2467
 Fax: +49 3677 69 1823
 E-mail: marion.braunschweig@tu-ilmenau.de